MEMORANDUM

To: USACE Colonel Brandon L. Bowman, Major Cory Bell, Richard McMillen, SFWMD Governing Board, Executive Director Drew Bartlett, Jennifer Reynolds, DEP Secretary Alexis Lambert

From: C&SF Water Management Call Participants
Kevin Godsea & Avery Renshaw - J.N. "Ding" Darling National Wildlife Refuge (NWR) Complex
Holly Milbrandt & Dana Dettmar - City of Sanibel
Allie Pecenka, Rick Bartleson PhD & Matt DePaolis- Sanibel-Captiva Conservation Foundation
With contributions from Harry Phillips & Maya Robert PhD- City of Cape Coral

Subject: Caloosahatchee & Estuary Conditions Report

Reporting Period: **October 27- November 2, 2026**

This report provides a scientific assessment of Caloosahatchee River and Estuary conditions and how these conditions affect the health, productivity, and function of the system.

Caloosahatchee Conditions Summary: Flow to the Caloosahatchee Estuary had a 7-day average of **2,323 cfs** at **S-79** with a 7-day average of **0 cfs** coming from the lake at **S-77. The 14-day moving average flow at S-79 was 1,263 cfs** and has been in the **optimum flow envelope** (750- 2,100 cfs) after 7 days **below the optimum flow envelope** (<750 cfs; RECOVER 2020). **The 14-day moving average flow at S-77 was 0 cfs.**

Recommendation: Due to an extremely high rainfall event, flows at S-79 have quickly surpassed the optimum flow envelope (750- 2,100 cfs) with over 10,000 cfs currently moving through the structure. Following the movement of this basin runoff through the Caloosahatchee River, restoring a flow schedule between 750- 2,100 cfs at S-79 will be critical to maintain optimal salinity levels in the CRE.

USACE Action: On October 25, the daily average Lake Okeechobee stage was 11.21 feet NAVD88 (12.52 feet NGVD29), which placed it within the Water Shortage Management Zone (WSMZ) of the Lake Okeechobee System Operating Manual (LOSOM). Lake stage increased by 0.04 feet over the preceding 7-day period. El Niño is present and continues to strengthen, with a strong-to-very strong El Niño likely through January-March 2027. The District will continue to monitor conditions in the estuaries, as well as the systemwide conditions. Normal Lake Operations continue pursuant to the considerations in LOSOM as informed by PA25. Given the estuary salinity conditions, it is recommended that flow targets for the Caloosahatchee Estuary should rely on basin flows only, and not be supplemented with Lake Okeechobee water; flow targets for the St. Lucie Estuary and Lake Worth Lagoon should remain at 0 cfs.

Lake Flows: In the past 7 days the total outflow from Lake Okeechobee was **-13,909 AF** with **18 AF** to the Caloosahatchee through **S-77**, **-13,927** to the St. Lucie canal through **S-308** and **0 AF** to the EAA through **S-351**, **S-352**, and **S-354**. The total net inflow to the Lake was **67,972 AF** from Fisheating Creek, S-71, S-72, S-84s, S-65EX, and S-65EX1. Water conservation areas received flows of **5,704 AF**, **9,446 AF**, and **7,064 AF** at **WCA1, WCA2, and WCA3**, respectively. Everglades National Park received **2,175 AF.**

***Data missing from S-77 on 11/2, S-310 and L-8 from 10/27-11/2, S-308 on 11/2 and ENP from 10/31-11/2.**

Lake Level: 13.02 (WMSZ) **Last Week**: **12.52 ft** **Last Year: 13.96 ft**

7-Day Lake Recession Rate: +0.50 ft/ wk.

Lake Okeechobee Inflow: 13,309 cfs **Lake Okeechobee Outflow: 209 cfs**

Weekly Rainfall Total: **WP Franklin: 1.55"** **Ortona: 6.65"** **Julian Keen Jr.: 6.46"**

Red Tide: Over the past week, the red tide organism, *Karenia brevis*, was observed in 24 samples from Northwest Florida. In Southwest Florida over the past week, *K. brevis* was not observed.

Cyanobacteria Status: No cyanobacteria blooms are currently being observed in the Caloosahatchee River and Estuary.



Light Penetration

Site	25% Iz	Target Values	Turbidity	Target Values
	meters		NTU	
Fort Myers	1.0	> 1	1.3	< 18
Shell Point	1.8	>2.2	1.2	< 18
Causeway	4.2	> 2.2	2.0	< 5

***25% Iz** is the depth (z) where irradiance (I) is 25% of surface irradiance. Target values indicate the depth of light penetration needed for healthy seagrass.*

Upper Estuary Conditions: The 30-day moving average surface salinity at the Fort Myers Yacht Basin was **5.8 psu, within the suitable range for tape grass**. The weekly average was 9.6 psu.

Lower Estuary Conditions: The weekly average salinity at the Shell Point RECON was **28 psu, in the optimal range** for oysters and seagrass.

Water Quality Conditions:

Monitor Site	Salinity (psu)[a] [previous week]	Diss O_2 (mg/L)[b]	FDOM (qsde)[c]	Chlorophyll (µg/L)[d]	Temperature (°F)
Beautiful Island	2.2- 6.0 [0.7- 3.4]	4.9 - 7.1	130	6.0	75.6 – 84.4
Fort Myers Yacht Basin	5.5- 15 [2.5- 9.2]	6.3 - 7.7	100	4.5	73.5– 80.6
Shell Point	19- 33 [17 – 32]	3.2 - 7.0	35	1.5	73.5– 79.7
McIntyre Creek	30.0 – 31.5 [28.7 – 32.0]	2.7 – 7.9	20.9 – 27.4	1.1 – 2.4	73.6 – 82.7
Tarpon Bay	29.5 – 33.0 [27.2 – 30.7]	4.9 – 7.9	29.6 – 48.4	1.1 – 3.0	73.3 – 80.0
Wulfert Flats	---- [-----]	----	----	----	----

Red values are outside of the preferred range.
[a] Salinity target values: BI < 5, FM < 10, SP = 10 – 30
[b] Dissolved O_2 target values: all sites > 4
[c] FDOM target values: BI < 70, FM < 70, SP < 11
[d] Chlorophyll target values: BI < 11, FM < 11, SP < 11
[f] Temperature target values: < 90
[s] Single sonde lower and surface layer or surface grab lab measurement
ND: no data

Wildlife Impacts: In the past week, the CROW wildlife hospital on Sanibel admitted **6 patients** for suspected red tide/toxicosis: 1 anhinga (deceased), 1 American herring gull (deceased), 1 laughing gull (deceased), 1 great egret (still in care) and 2 white ibises (both still in care).

Shellfish Advisory: Shellfish harvest area #6212 (Pine Island Sound Section 1); Aquaculture Lease and Public Reef are **OPEN** by the Florida Department of Agriculture and Consumer Services (FDACS). SHA #6222 (North Matlacha Pass) and SHA #6232 (South Matlacha Pass) are **OPEN**.



USACE Daily Reports			
Date	S79 Flow (cfs)	S78 Flow (cfs)	S77 Flow (cfs)
10/27/26	0	0	0
10/28/26	0	0	0
10/29/26	70	0	0
10/30/26	275	0	0
10/31/26	526	0	0
11/1/26	3149	909	0
11/2/26	12242	5186	0
7-day avg	**2323**	**871**	**0**



Daily average bottom salinity data for the last 14-days from sampling locations within the tidal Caloosahatchee River Estuary relative to oyster health (Sanibel, Shell Point and Cape Coral) and tape grass (*Vallisneria americana*) health (Ft. Myers only) conditions.

*Ft. Myers sensor is in the lower strata

Water clarity at Lighthouse Beach Park on 11-4-26 at 3:02 PM on a falling tide (0.8 ft).